Technical details

Beckstone LED Paver Light

NATURE

JoBe Lighting

RUSTIC

This rock-face cobblestone has a natural, rough, rugged surface texture. Beckstone NATURE rustic suits in perfectly with natural materials like granite, basalt, sandstone, porphyry with split-finish. The uneven, textured face provides excellent traction for walking or driving, even when wet. Used frequently for driveways, parking aprons, walkways, garden edging, and historic street restorations.

BUSH-HAMMERED

This finish has a smooth texture with small, shallow craters. It is a uniformly textured surface with a non-slip, rugged appearance. Bush-hammered Beckstone NATURE is often used for accessible walkways, driveways, stairs, patios, and pool decks, as it provides excellent traction and natural stone look.

Size	Nominal (grid) size	Actual size	Tolerance
Square small	10 × 10 × 8 cm 4 × 4 × 3 ⅛ in	97 × 97 × 80 mm 3 13⁄16 × 3 13⁄16 × 3 2⁄16 in	±2 × ±2 × ±3 mm ±1⁄16 × ±1⁄16 × ±2⁄16 in
Square large	15 × 15 × 8 cm 6 × 6 × 3 ⅛ in	150 × 150 × 80 mm 5 14⁄16 × 5 14⁄16 × 3 2⁄16 in	±3 × ±3 × ±3 mm ±2⁄16 × ±2⁄16 × ±2⁄16 in

Material
Polyester (UV-stabilized), technopolymers, polymer concrete

Luminaire body colors
Crystal, Blue, Amber, Basalt, Granite Grey, Porphyry Red, White, Sand Beige

Protection category
IP 68 (according to project specification)

Maximum cable length
100 m (300 ft) with up to 50 luminaires

Connecting cable
2-core (2C), 2 × 1.5 mm² (16 AWG), direct burial, sun resistant, 25 cm (10 in)

Surface
Natural stone surface (rustic) or bush-hammered natural stone surface

Light Unit
7-fold LED on circuit board
0.5 W power consumption

Light colors
Daylight white 6500 K
Warm white 2700 K
Deviations due to stone color/coating

Light distribution
diffuse, uniform, and glare-free

Light flux
4 lm – 6 lm
Deviations due to color, surface, etc.

Operating voltage
9 – 15 V DC (constant voltage)
Dimmable: Yes (PWM)

Load capacity
5 t / 11,000 lb (axle load)
Can be driven over by trucks/cars at a maximum speed of 25 km/h (15 mph) when installed

Rev. 1 · 08/2026

JoBe Lighting GmbH | T: +49 (69) 1532402-80
North America: JoBe Ops, LLC | T: +1 (805) 426-9630
info@jobe-lighting.com WhatsApp +49 69 94321288 www.jobe-lighting.com

Dimensions/article numbers

Beckstone LED Paver Light

NATURE

JoBe Lighting

square small



square large



All dimensions in mm, inches (rounded to 1/16 in) underneath
Base 2 mm (1/16 in) wider on each side, protects the top body from adjacent pavers

Available stone colors



08 Crystal | **07** Blue | **03** Amber | **10** Basalt



11 Granite Grey | **12** Porphyry Red | **18** White | **19** Sand Beige

Natural stone surface



rustic | bush-hammered

Product Number

52	10	08	08	-27K

Model / surface
52 = NATURE rustic
53 = NATURE bush-hammered

Size (W × L)
10 = 10 × 10 cm
15 = 15 × 15 cm

Height
08 = 8 cm

Stone color
08 = Crystal
07 = Blue
03 = Amber
10 = Basalt
11 = Granite Grey
12 = Porphyry Red
18 = White
19 = Sand Beige

Color temperature
-27K = 2700 K warm white
-65K = 6500 K daylight white

Rev. 1 · 08/2026

JoBe Lighting GmbH | T: +49 (69) 1532402-80
North America: JoBe Ops, LLC | T: +1 (805) 426-9630
info@jobe-lighting.com WhatsApp +49 69 94321288 www.jobe-lighting.com

Photometry

Beckstone LED Paver Light

NATURE

NATURE square 10 × 10 × 8 cm (4 × 4 × 3 ⅛ in)

Light flux: 5.9 lm (measured)
Light color: 2700 K and 6500 K



NATURE square 15 × 15 × 8 cm (6 × 6 × 3 ⅛ in)

Light flux: 4.3 lm (measured)
Light color: 2700 K and 6500 K



Light spectrum 2700 K



Light spectrum 6500 K



JoBe Lighting GmbH | T: +49 (69) 1532402-80
North America: JoBe Ops, LLC | T: +1 (805) 426-9630
info@jobe-lighting.com WhatsApp +49 69 94321288 www.jobe-lighting.com